

ZC-015



Product description:

AVIONIC CORROSION PREVENTIVE LIGHT SOFT FILM (MIL-PRF-81309H TYPE III CLASS 1)

FEATURES:

- ► A light duty version of **ZC-026**
- Provides a light, soft, ultra-thin film with moisture displacing properties

KEY BENEFITS:

- Contains a thin protective barrier coating to help prevent corrosion
- Contains lubricating properties to prevent fretting corrosion and erosion of the plated surface of the connector
- Safe on most paints, plastics, or insulation
- Displaces water from electrical and electronic components
- Provides lubrication and corrosion protection



- Excellent for electrical and electronic components
- Light-soft film provides lubrication for moving parts
- Excellent for short term tooling protection on highly critical surfaces
- Formulated for use on highly critical metal surfaces including electrical connectors
- Ideal for in field service use

Rev: 20075L 10-22-2021





ZC-015



Product description:

AVIONIC CORROSION PREVENTIVE LIGHT SOFT FILM (MIL-PRF-81309H TYPE III CLASS 1)

SPECS:

- Mil-PRF-81309H Type III Class 1 (QPL)
- Sikorsky SS 8536 Type 1 (QPL)

APPLICATIONS:

- ✓ Formulated for use on highly critical metal surfaces including electrical connectors
- ✓ Aerosol application available as D-5015NS (Aerosol is non-ozone depleting)
- ✓ For removal of ZC-015, use ZC-640 (D-5640NS), Sur-Prep® 3160, or Sur-Prep® 3167

PHYSICAL PROPERTIES:

- ► Flash Point: 157° F. (69°C)
- Evaporation Rate: Faster than ether
- ► Material V.O.C.: 631 g/l (5.2 lbs/gal)
- Specific Gravity: 0.8
- Vapor Density: Heavier than air



ZC-015



Product description:

AVIONIC CORROSION PREVENTIVE LIGHT SOFT FILM (MIL-PRF-81309H TYPE III CLASS 1)

AVAILABLE PACK SIZES:

- Case of 12 of 16 fl oz (473 ml) Aerosol-007670
- Case of 4 each Gallon (4 each of 3.8 L) Cans-009413
- ► 5 Gallon (18.9L) Pails-002089
- ▶ 55 Gallon (208L) Drums-002090
- Special Packaging Upon Request

